



PROPOSED LIGHTING PLAN - SECOND FLOOR
1/4" = 1'-0"

- NOTES:
- NOTE TO ELECTRICAL CONTRACTOR:
IF INSTALLATION AND INSPECTION OCCURS AFTER DCI, I, 2009 ONLY IC / AIR TIGHT CANS ARE ALLOWED BY THE NEW TITLE 24 CODE ALL NON-FLUORESCENT FIXTURES IN BATHROOMS WILL HAVE TO BE CONTROLLED BY A MOTION SENSOR
 - NOTE TO ELECTRICAL CONTRACTOR:
ALL EXISTING RECESSED FIXTURES ARE TO BE REMOVED
 - NOTE TO CABINETRY CONTRACTOR / GENERAL CONTRACTOR:
THE INDIRECT LIGHTING AND TASK LIGHTING SHOWN AS -●- ON THE PLAN WILL NEED A FASCIA OR TRIM BOARD TO HIDE THE LIGHT SOURCE

REVISIONS	BY

RANDALL WHITEHEAD LIGHTING, INC.
 1246 19TH STREET
 SAN FRANCISCO, CA 94133
 TEL: 415.774.8888 FAX: 415.774.8889
 E-MAIL: rwl@randallwhitehead.com

Date	5/19/05
Scale	1/4"=1'-0"
Drawn	M.G.
Job	
Sheet	L2